






材質 S45C


熱処理 焼入HRC30±5


表面処理 黒染め

- ●T溝上部からのインサートができるため、横長のテーブルで の使用に便利です。
- ●T溝内での接着面積が小さいため、締込みが容易です。
- ●ネジ穴が貫通してます。



■使用例





■仕様·価格表								* 標準在庫品	1個価格
オーダーNo.	No.	適合T溝巾	D(並目)	А	В	С	Е	質量g	価格
* 124257	RTNM1008	10	M 8×1.25	9.7	15	12	6	11	1,950
* 915953	RTNM1210	12	M10×1.5	11.7	18	14	7	14	1,950
* 950583	RTNM1410	14	M10×1.5	13.7	22	16	8	27	2,230
* 915954	RTNM1412	14	M12×1.75	13.7	22	16	8	22	2,270
* 915955	RTNM1614	16	M14×2	15.7	25	18	9	33	2,710
* 950584	RTNM1810	18	M10×1.5	17.7	28	20	10	64	3,110
* 915956	RTNM1816	18	M16×2	17.7	28	20	10	46	2,620
* 915957	RTNM2016	20	M16×2	19.7	32	24	12	79	3,390
* 916151	RTNM2018	20	M18×2.5	19.7	32	24	12	70	3,770
* 915958	RTNM2216	22	M16×2	21.7	35	28	14	119	5,250
* 915959	RTNM2220	22	M20×2.5	21.7	35	28	14	98	4,370
* 950585	RTNM2420	24	M20×2.5	23.7	40	32	16	178	4,540
* 950586	RTNM2816	28	M16×2	27.7	44	36	18	278	7,450
* 950587	RTNM2820	28	M20×2.5	27.7	44	36	18	248	7,300
* 950588	RTNM2824	28	M24×3	27.7	44	36	18	215	6,950
* 950589	RTNM3630	36	M30×3.5	35.6	54	44	22	430	13,500
* 950590	RTNM4236	42	M36×4	41.6	65	52	26	690	27,200