




フットジャッキFAS型

RoHS対応

FOOT JACKS TYPE FAS No.E-9666AS

ERON® NBK®



FAS-P・FAS-SP

材質 表面処理

No.	ネジ	ナット	ベース	パッド
FAS	SUM22L亜鉛メッキ	S45C	亜鉛ダイキャスト パウダー コーティング	-
FAS-S	SUS304	SUS304		-
FAS-P	SUM22L亜鉛メッキ	S45C		NBR
FAS-SP	SUS304	SUS304		NBR

■ボルト サイズ表

No.	A(並目)	B	C	D	E	F	耐荷重kN
FAS08040	M 8×1.25	40	11.5	4	13	14	4
FAS08080	M 8×1.25	80	11.5	4	13	14	4
FAS10045	M10×1.5	45	11.5	5	17	14	5
FAS10070	M10×1.5	70	11.5	5	17	14	5
FAS10090	M10×1.5	90	11.5	5	17	14	5
FAS10125	M10×1.5	125	11.5	5	17	14	5
FAS10150	M10×1.5	150	11.5	5	17	14	5
FAS12045	M12×1.75	45	11.5	6	19	14	5
FAS12066	M12×1.75	66	11.5	6	19	14	5
FAS12100	M12×1.75	100	11.5	6	19	14	5
FAS12125	M12×1.75	125	11.5	6	19	14	5
FAS12150	M12×1.75	150	11.5	6	19	14	5
FAS16066	M16×2	66	11.5	8	24	17	6
FAS16100	M16×2	100	11.5	8	24	17	6
FAS16125	M16×2	125	11.5	8	24	17	6
FAS16150	M16×2	150	11.5	8	24	17	6
FAS16200	M16×2	200	11.5	8	24	17	6
FAS20085	M20×2.5	85	14.5	10	30	22	10
FAS20100	M20×2.5	100	14.5	10	30	22	10
FAS20125	M20×2.5	125	14.5	10	30	22	10
FAS20150	M20×2.5	150	14.5	10	30	22	10
FAS20200	M20×2.5	200	14.5	10	30	22	10

■ベース・パッド サイズ表

No.	G	H	I	J
FAS- 40、40S、40P、40SP	18	39	2	30
FAS- 60、60S、60P、60SP	18	59	2	50
FAS- 80、80S、80P、80SP	18	79	2	68
FAS-100、100S、100P、100SP	18	99	2	88
FAS-120、120S、120P、120SP	18	119	2	108

■仕様・価格表

* 標準在庫品

FAS				FAS-S				FAS-P				FAS-SP			
オーダー No.	No.	質量 g	単品価格 1~9個 10個以上	オーダー No.	No.	質量 g	単品価格 1~9個 10個以上	オーダー No.	No.	質量 g	単品価格 1~9個 10個以上	オーダー No.	No.	質量 g	単品価格 1~9個 10個以上
*959732	FAS08040-40	106	1,490 1,430	*959852	FAS08040-40S	109	1,950 1,880	*959972	FAS08040-40P	111	1,700 1,640	*960092	FAS08040-40SP	114	2,160 2,080
*959733	FAS08080-40	122	1,510 1,470	*959853	FAS08080-40S	122	2,170 2,100	*959973	FAS08080-40P	126	1,720 1,660	*960093	FAS08080-40SP	126	2,400 2,330
*959734	FAS10045-40	123	1,500 1,460	*959854	FAS10045-40S	122	1,950 1,880	*959974	FAS10045-40P	128	1,710 1,650	*960094	FAS10045-40SP	127	2,160 2,080
*959735	FAS10070-40	135	1,540 1,500	*959855	FAS10070-40S	134	2,120 2,040	*959975	FAS10070-40P	139	1,750 1,700	*960095	FAS10070-40SP	139	2,330 2,240
*959736	FAS10090-40	143	1,550 1,510	*959856	FAS10090-40S	145	2,210 2,150	*959976	FAS10090-40P	148	1,760 1,710	*960096	FAS10090-40SP	149	2,420 2,350
*959737	FAS10125-40	161	1,620 1,590	*959857	FAS10125-40S	160	2,440 2,390	*959977	FAS10125-40P	165	1,840 1,770	*960097	FAS10125-40SP	165	2,660 2,580
*959738	FAS10150-40	172	1,860 1,800	*959858	FAS10150-40S	175	2,450 2,400	*959978	FAS10150-40P	177	2,070 2,010	*960098	FAS10150-40SP	179	2,680 2,610
*959739	FAS12045-40	134	1,550 1,510	*959859	FAS12045-40S	132	2,150 2,070	*959979	FAS12045-40P	138	1,760 1,710	*960099	FAS12045-40SP	137	2,350 2,270
*959740	FAS12066-40	148	1,600 1,550	*959860	FAS12066-40S	151	2,170 2,100	*959980	FAS12066-40P	153	1,800 1,750	*960100	FAS12066-40SP	156	2,390 2,310
*959741	FAS12100-40	173	1,650 1,600	*959861	FAS12100-40S	175	2,310 2,230	*959981	FAS12100-40P	178	1,860 1,800	*960101	FAS12100-40SP	179	2,520 2,450
*959742	FAS12125-40	191	1,870 1,830	*959862	FAS12125-40S	192	2,510 2,440	*959982	FAS12125-40P	195	2,100 2,040	*960102	FAS12125-40SP	197	2,720 2,640
*959743	FAS12150-40	208	1,940 1,870	*959863	FAS12150-40S	211	2,700 2,630	*959983	FAS12150-40P	213	2,150 2,070	*960103	FAS12150-40SP	216	2,910 2,840
*959744	FAS16066-40	200	1,720 1,660	*959864	FAS16066-40S	200	2,490 2,420	*959984	FAS16066-40P	204	1,950 1,880	*960104	FAS16066-40SP	204	2,690 2,620
*959745	FAS16100-40	245	1,940 1,870	*959865	FAS16100-40S	247	2,730 2,660	*959985	FAS16100-40P	249	2,150 2,070	*960105	FAS16100-40SP	251	2,960 2,870
*959746	FAS16125-40	278	2,010 1,960	*959866	FAS16125-40S	280	2,870 2,780	*959986	FAS16125-40P	283	2,220 2,160	*960106	FAS16125-40SP	284	3,080 2,980
*959747	FAS16150-40	310	2,160 2,080	*959867	FAS16150-40S	312	3,080 2,980	*959987	FAS16150-40P	315	2,360 2,290	*960107	FAS16150-40SP	316	3,280 3,190
*959748	FAS16200-40	374	2,450 2,400	*959868	FAS16200-40S	380	4,540 4,390	*959988	FAS16200-40P	378	2,670 2,590	*960108	FAS16200-40SP	384	4,750 4,610
*959749	FAS20085-40	316	2,170 2,100	*959869	FAS20085-40S	320	3,450 3,350	*959989	FAS20085-40P	321	2,390 2,310	*960109	FAS20085-40SP	325	3,660 3,550
*959750	FAS20100-40	348	2,310 2,230	*959870	FAS20100-40S	357	3,650 3,540	*959990	FAS20100-40P	353	2,510 2,440	*960110	FAS20100-40SP	361	3,850 3,730
*959751	FAS20125-40	399	2,440 2,390	*959871	FAS20125-40S	409	3,830 3,710	*959991	FAS20125-40P	404	2,660 2,580	*960111	FAS20125-40SP	413	4,040 3,910
*959752	FAS20150-40	454	2,510 2,440	*959872	FAS20150-40S	458	4,040 3,910	*959992	FAS20150-40P	458	2,720 2,640	*960112	FAS20150-40SP	463	4,260 4,120
*959753	FAS20200-40	550	3,040 2,930	*959873	FAS20200-40S	560	5,550 5,350	*959993	FAS20200-40P	555	3,240 3,140	*960113	FAS20200-40SP	564	5,700 5,550
*959756	FAS08040-60	192	1,800 1,750	*959876	FAS08040-60S	195	2,260 2,200	*959996	FAS08040-60P	205	2,030 1,970	*960116	FAS08040-60SP	208	2,490 2,420
*959757	FAS08080-60	208	1,840 1,770	*959877	FAS08080-60S	207	2,500 2,430	*959997	FAS08080-60P	221	2,070 2,010	*960117	FAS08080-60SP	221	2,720 2,640
*959758	FAS10045-60	209	1,830 1,760	*959878	FAS10045-60S	208	2,260 2,200	*959998	FAS10045-60P	222	2,050 1,990	*960118	FAS10045-60SP	221	2,500 2,430
*959759	FAS10070-60	220	1,860 1,800	*959879	FAS10070-60S	220	2,430 2,360	*959999	FAS10070-60P	234	2,100 2,040	*960119	FAS10070-60SP	233	2,670 2,590
*959760	FAS10090-60	229	1,870 1,830	*959880	FAS10090-60S	230	2,520 2,450	*960000	FAS10090-60P	242	2,120 2,040	*960120	FAS10090-60SP	244	2,770 2,680
*959761	FAS10125-60	246	1,950 1,880	*959881	FAS10125-60S	246	2,780 2,690	*960001	FAS10125-60P	260	2,170 2,100	*960121	FAS10125-60SP	259	3,000 2,910
*959762	FAS10150-60	258	2,180 2,120	*959882	FAS10150-60S	260	2,800 2,700	*960002	FAS10150-60P	271	2,420 2,350	*960122	FAS10150-60SP	273	3,010 2,930
*959763	FAS12045-60	219	1,870 1,830	*959883	FAS12045-60S	218	2,450 2,400	*960003	FAS12045-60P	233	2,120 2,040	*960123	FAS12045-60SP	231	2,680 2,610
*959764	FAS12066-60	234	1,930 1,860	*959884	FAS12066-60S	237	2,490 2,420	*960004	FAS12066-60P	247	2,150 2,070	*960124	FAS12066-60SP	250	2,720 2,640
*959765	FAS12100-60	259	1,970 1,930	*959885	FAS12100-60S	261	2,640 2,560	*960005	FAS12100-60P	272	2,210 2,150	*960125	FAS12100-60SP	274	2,870 2,780
*959766	FAS12125-60	276	2,210 2,150	*959886	FAS12125-60S	278	2,840 2,760	*960006	FAS12125-60P	289	2,430 2,360	*960126	FAS12125-60SP	291	3,080 2,980
*959767	FAS12150-60	294	2,240 2,180	*959887	FAS12150-60S	297	3,040 2,930	*960007	FAS12150-60P	307	2,470 2,410	*960127	FAS12150-60SP	310	3,260 3,170
*959768	FAS16066-60	286	2,050 1,990	*959888	FAS16066-60S	285	2,820 2,730	*960008	FAS16066-60P	299	2,270 2,210	*960128	FAS16066-60SP	298	3,050 2,960
*959769	FAS16100-60	331	2,240 2,180	*959889	FAS16100-60S	332	3,070 2,970	*960009	FAS16100-60P	344	2,490 2,420	*960129	FAS16100-60SP	346	3,280 3,190
*959770	FAS16125-60	364	2,340 2,260	*959890	FAS16125-60S	365	3,190 3,090	*960010	FAS16125-60P	377	2,580 2,490	*960130	FAS16125-60SP	379	3,430 3,330
*959771	FAS16150-60	396	2,470 2,410	*959891	FAS16150-60S	397	3,390 3,300	*960011	FAS16150-60P	409	2,700 2,630	*960131	FAS16150-60SP	410	3,620 3,500
*959772	FAS16200-60	459	2,780 2,690	*959892	FAS16200-60S	465	4,860 4,720	*960012	FAS16200-60P	473	3,010 2,930	*960132	FAS16200-60SP	479	5,100 4,930
*959773	FAS20085-60	402	2,500 2,430	*959893	FAS20085-60S	406	3,780 3,660	*960013	FAS20085-60P	415	2,720 2,640	*960133	FAS20085-60SP	419	3,990 3,880
*959774	FAS20100-60	434	2,630 2,540	*959894	FAS20100-60S	442	3,960 3,840	*960014	FAS20100-60P	447	2,860 2,770	*960134	FAS20100-60SP	456	4,180 4,070
*959775	FAS20125-60	485	2,770 2,680	*959895	FAS20125-60S	494	4,150 4,030	*960015	FAS20125-60P	498	3,000 2,910	*960135	FAS20125-60SP	507	4,380 4,270
*959776	FAS20150-60	540	2,860 2,770	*959896	FAS20150-60S	544	4,360 4,230	*960016	FAS20150-60P	553	3,080 2,980	*960136	FAS20150-60SP	557	4,590 4,460

フットジャッキFAS型

RoHS対応

ERON® NBK®

FOOT JACKS TYPE FAS No.E-9666AS

仕様・価格表

* 標準在庫品

FAS					FAS-S					FAS-P					FAS-SP				
オーダー No.	No.	質量 g	単品価格 1~9個 10個以上		オーダー No.	No.	質量 g	単品価格 1~9個 10個以上		オーダー No.	No.	質量 g	単品価格 1~9個 10個以上		オーダー No.	No.	質量 g	単品価格 1~9個 10個以上	
*959777	FAS20200-60	636	3,350	3,250	*959897	FAS20200-60S	645	5,800	5,650	*960017	FAS20200-60P	649	3,600	3,470	*960137	FAS20200-60SP	659	6,000	5,850
*959780	FAS08040-80	292	2,180	2,120	*959900	FAS08040-80S	295	2,640	2,560	*960020	FAS08040-80P	315	2,510	2,440	*960140	FAS08040-80SP	318	2,980	2,890
*959781	FAS08080-80	307	2,210	2,150	*959901	FAS08080-80S	307	2,870	2,780	*960021	FAS08080-80P	331	2,540	2,470	*960141	FAS08080-80SP	331	3,200	3,100
*959782	FAS10045-80	308	2,200	2,130	*959902	FAS10045-80S	308	2,640	2,560	*960022	FAS10045-80P	332	2,520	2,450	*960142	FAS10045-80SP	331	2,980	2,890
*959783	FAS10070-80	320	2,230	2,170	*959903	FAS10070-80S	320	2,810	2,720	*960023	FAS10070-80P	344	2,580	2,490	*960143	FAS10070-80SP	343	3,140	3,050
*959784	FAS10090-80	329	2,240	2,180	*959904	FAS10090-80S	330	2,900	2,820	*960024	FAS10090-80P	353	2,590	2,500	*960144	FAS10090-80SP	354	3,240	3,140
*959785	FAS10125-80	346	2,330	2,240	*959905	FAS10125-80S	346	3,140	3,050	*960025	FAS10125-80P	370	2,660	2,580	*960145	FAS10125-80SP	369	3,470	3,380
*959786	FAS10150-80	358	2,560	2,490	*959906	FAS10150-80S	360	3,150	3,070	*960026	FAS10150-80P	381	2,890	2,810	*960146	FAS10150-80SP	384	3,490	3,390
*959787	FAS12045-80	319	2,240	2,180	*959907	FAS12045-80S	318	2,840	2,760	*960027	FAS12045-80P	343	2,590	2,500	*960147	FAS12045-80SP	341	3,170	3,080
*959788	FAS12066-80	334	2,290	2,220	*959908	FAS12066-80S	337	2,870	2,780	*960028	FAS12066-80P	357	2,620	2,520	*960148	FAS12066-80SP	360	3,200	3,100
*959789	FAS12100-80	359	2,350	2,270	*959909	FAS12100-80S	360	3,000	2,910	*960029	FAS12100-80P	382	2,680	2,610	*960149	FAS12100-80SP	384	3,340	3,240
*959790	FAS12125-80	376	2,580	2,490	*959910	FAS12125-80S	377	3,220	3,110	*960030	FAS12125-80P	400	2,900	2,820	*960150	FAS12125-80SP	401	3,550	3,440
*959791	FAS12150-80	394	2,630	2,540	*959911	FAS12150-80S	396	3,420	3,320	*960031	FAS12150-80P	417	2,970	2,880	*960151	FAS12150-80SP	420	3,730	3,630
*959792	FAS16066-80	385	2,420	2,350	*959912	FAS16066-80S	385	3,190	3,090	*960032	FAS16066-80P	409	2,760	2,670	*960152	FAS16066-80SP	409	3,530	3,420
*959793	FAS16100-80	430	2,630	2,540	*959913	FAS16100-80S	432	3,440	3,340	*960033	FAS16100-80P	454	2,970	2,880	*960153	FAS16100-80SP	456	3,740	3,650
*959794	FAS16125-80	464	2,700	2,630	*959914	FAS16125-80S	465	3,560	3,450	*960034	FAS16125-80P	487	3,050	2,960	*960154	FAS16125-80SP	489	3,900	3,800
*959795	FAS16150-80	496	2,860	2,770	*959915	FAS16150-80S	497	3,780	3,660	*960035	FAS16150-80P	519	3,190	3,090	*960155	FAS16150-80SP	521	4,090	3,960
*959796	FAS16200-80	559	3,150	3,070	*959916	FAS16200-80S	565	5,250	5,100	*960036	FAS16200-80P	583	3,490	3,390	*960156	FAS16200-80SP	589	5,600	5,450
*959797	FAS20085-80	502	2,870	2,780	*959917	FAS20085-80S	505	4,150	4,030	*960037	FAS20085-80P	525	3,200	3,100	*960157	FAS20085-80SP	529	4,470	4,340
*959798	FAS20100-80	533	3,000	2,910	*959918	FAS20100-80S	542	4,350	4,200	*960038	FAS20100-80P	557	3,340	3,240	*960158	FAS20100-80SP	566	4,670	4,540
*959799	FAS20125-80	585	3,140	3,050	*959919	FAS20125-80S	594	4,530	4,380	*960039	FAS20125-80P	608	3,470	3,380	*960159	FAS20125-80SP	618	4,860	4,720
*959800	FAS20150-80	639	3,220	3,110	*959920	FAS20150-80S	644	4,740	4,590	*960040	FAS20150-80P	663	3,550	3,440	*960160	FAS20150-80SP	667	5,100	4,920
*959801	FAS20200-80	736	3,720	3,620	*959921	FAS20200-80S	745	6,200	6,000	*960041	FAS20200-80P	759	4,070	3,930	*960161	FAS20200-80SP	769	6,550	6,300
*959804	FAS08040-100	422	2,590	2,500	*959924	FAS08040-100S	425	3,050	2,960	*960044	FAS08040-100P	464	3,230	3,130	*960164	FAS08040-100SP	467	3,670	3,560
*959805	FAS08080-100	438	2,620	2,520	*959925	FAS08080-100S	438	3,280	3,190	*960045	FAS08080-100P	480	3,250	3,150	*960165	FAS08080-100SP	479	3,910	3,810
*959806	FAS10045-100	439	2,620	2,520	*959926	FAS10045-100S	438	3,070	2,970	*960046	FAS10045-100P	481	3,240	3,140	*960166	FAS10045-100SP	480	3,690	3,570
*959807	FAS10070-100	451	2,660	2,580	*959927	FAS10070-100S	450	3,230	3,130	*960047	FAS10070-100P	492	3,280	3,190	*960167	FAS10070-100SP	492	3,850	3,730
*959808	FAS10090-100	459	2,660	2,580	*959928	FAS10090-100S	461	3,320	3,220	*960048	FAS10090-100P	501	3,300	3,200	*960168	FAS10090-100SP	502	3,940	3,840
*959809	FAS10125-100	477	2,720	2,640	*959929	FAS10125-100S	476	3,560	3,450	*960049	FAS10125-100P	518	3,360	3,260	*960169	FAS10125-100SP	518	4,180	4,070
*959810	FAS10150-100	488	2,970	2,880	*959930	FAS10150-100S	491	3,570	3,460	*960050	FAS10150-100P	530	3,610	3,490	*960170	FAS10150-100SP	532	4,190	4,080
*959811	FAS12045-100	450	2,670	2,590	*959931	FAS12045-100S	448	3,240	3,140	*960051	FAS12045-100P	491	3,300	3,200	*960171	FAS12045-100SP	490	3,880	3,740
*959812	FAS12066-100	464	2,690	2,620	*959932	FAS12066-100S	467	3,280	3,190	*960052	FAS12066-100P	506	3,330	3,230	*960172	FAS12066-100SP	509	3,910	3,810
*959813	FAS12100-100	489	2,760	2,670	*959933	FAS12100-100S	491	3,430	3,330	*960053	FAS12100-100P	531	3,390	3,300	*960173	FAS12100-100SP	533	4,060	3,920
*959814	FAS12125-100	507	2,990	2,900	*959934	FAS12125-100S	508	3,620	3,500	*960054	FAS12125-100P	548	3,620	3,500	*960174	FAS12125-100SP	550	4,270	4,130
*959815	FAS12150-100	524	3,040	2,930	*959935	FAS12150-100S	527	3,830	3,710	*960055	FAS12150-100P	566	3,670	3,560	*960175	FAS12150-100SP	569	4,460	4,310
*959816	FAS16066-100	516	2,840	2,760	*959936	FAS16066-100S	515	3,610	3,490	*960056	FAS16066-100P	558	3,460	3,360	*960176	FAS16066-100SP	557	4,230	4,110
*959817	FAS16100-100	561	3,050	2,960	*959937	FAS16100-100S	563	3,840	3,720	*960057	FAS16100-100P	603	3,670	3,560	*960177	FAS16100-100SP	604	4,470	4,340
*959818	FAS16125-100	594	3,110	3,010	*959938	FAS16125-100S	596	3,960	3,840	*960058	FAS16125-100P	636	3,740	3,650	*960178	FAS16125-100SP	638	4,610	4,470
*959819	FAS16150-100	626	3,260	3,170	*959939	FAS16150-100S	627	4,170	4,060	*960059	FAS16150-100P	668	3,900	3,800	*960179	FAS16150-100SP	669	4,810	4,660
*959820	FAS16200-100	690	3,570	3,460	*959940	FAS16200-100S	696	5,650	5,500	*960060	FAS16200-100P	731	4,190	4,080	*960180	FAS16200-100SP	737	6,250	6,100
*959821	FAS20085-100	632	3,280	3,190	*959941	FAS20085-100S	636	4,550	4,400	*960061	FAS20085-100P	674	3,910	3,810	*960181	FAS20085-100SP	678	5,200	5,050
*959822	FAS20100-100	664	3,420	3,320	*959942	FAS20100-100S	673	4,750	4,610	*960062	FAS20100-100P	706	4,060	3,920	*960182	FAS20100-100SP	714	5,450	5,250
*959823	FAS20125-100	715	3,550	3,440	*959943	FAS20125-100S	724	4,940	4,780	*960063	FAS20125-100P	757	4,180	4,070	*960183	FAS20125-100SP	766	5,600	5,450
*959824	FAS20150-100	770	3,630	3,530	*959944	FAS20150-100S	774	5,150	4,990	*960064	FAS20150-100P	812	4,270	4,130	*960184	FAS20150-100SP	816	5,800	5,650
*959825	FAS20200-100	866	4,130	4,020	*959945	FAS20200-100S	876	6,600	6,450	*960065	FAS20200-100P	908	4,770	4,640	*960185	FAS20200-100SP	917	7,250	7,000
*959828	FAS08040-120	623	3,350	3,250	*959948	FAS08040-120S	626	3,820	3,700	*960068	FAS08040-120P	696	4,070	3,930	*960188	FAS08040-120SP	699	4,530	4,380
*959829	FAS08080-120	638	3,390	3,300	*959949	FAS08080-120S	638	4,060	3,920	*960069	FAS08080-120P	712	4,090	3,960	*960189	FAS08080-120SP	712	4,750	4,610
*959830	FAS10045-120	640	3,380	3,280	*959950	FAS10045-120S	639	3,830	3,710	*960070	FAS10045-120P	713	4,080	3,940	*960190	FAS10045-120SP	712	4,530	4,380
*959831	FAS10070-120	651	3,430	3,330	*959951	FAS10070-120S	651	3,990	3,880	*960071	FAS10070-120P	725	4,120	3,990	*960191	FAS10070-120SP	724	4,690	4,550
*959832	FAS10090-120	660	3,440	3,340	*959952	FAS10090-120S	661	4,090	3,960	*960072	FAS10090-120P	733	4,130	4,020	*960192	FAS10090-120SP	735	4,780	4,650

■仕様・価格表

* 標準在庫品

FAS				FAS-S				FAS-P				FAS-SP			
オーダー No.	No.	質量 g	単品価格	オーダー No.	No.	質量 g	単品価格	オーダー No.	No.	質量 g	単品価格	オーダー No.	No.	質量 g	単品価格
			1~9個 : 10個以上				1~9個 : 10個以上				1~9個 : 10個以上				1~9個 : 10個以上
*959833	FAS10125-120	677	3,500 : 3,390	*959953	FAS10125-120S	677	4,340 : 4,190	*960073	FAS10125-120P	751	4,190 : 4,080	*960193	FAS10125-120SP	750	5,050 : 4,870
*959834	FAS10150-120	689	3,730 : 3,630	*959954	FAS10150-120S	691	4,350 : 4,200	*960074	FAS10150-120P	762	4,440 : 4,300	*960194	FAS10150-120SP	764	5,050 : 4,890
*959835	FAS12045-120	650	3,440 : 3,340	*959955	FAS12045-120S	649	4,020 : 3,890	*960075	FAS12045-120P	724	4,130 : 4,020	*960195	FAS12045-120SP	722	4,720 : 4,580
*959836	FAS12066-120	665	3,460 : 3,360	*959956	FAS12066-120S	668	4,060 : 3,920	*960076	FAS12066-120P	738	4,160 : 4,040	*960196	FAS12066-120SP	741	4,750 : 4,610
*959837	FAS12100-120	690	3,540 : 3,430	*959957	FAS12100-120S	691	4,180 : 4,070	*960077	FAS12100-120P	763	4,230 : 4,110	*960197	FAS12100-120SP	765	4,890 : 4,750
*959838	FAS12125-120	707	3,740 : 3,650	*959958	FAS12125-120S	709	4,390 : 4,280	*960078	FAS12125-120P	780	4,460 : 4,310	*960198	FAS12125-120SP	782	5,100 : 4,940
*959839	FAS12150-120	725	3,820 : 3,700	*959959	FAS12150-120S	727	4,590 : 4,460	*960079	FAS12150-120P	798	4,510 : 4,370	*960199	FAS12150-120SP	801	5,350 : 5,150
*959840	FAS16066-120	716	3,610 : 3,490	*959960	FAS16066-120S	716	4,370 : 4,260	*960080	FAS16066-120P	790	4,300 : 4,170	*960200	FAS16066-120SP	789	5,100 : 4,920
*959841	FAS16100-120	761	3,820 : 3,700	*959961	FAS16100-120S	763	4,610 : 4,470	*960081	FAS16100-120P	835	4,510 : 4,370	*960201	FAS16100-120SP	837	5,350 : 5,150
*959842	FAS16125-120	795	3,900 : 3,800	*959962	FAS16125-120S	796	4,750 : 4,610	*960082	FAS16125-120P	868	4,590 : 4,460	*960202	FAS16125-120SP	870	5,500 : 5,350
*959843	FAS16150-120	827	4,040 : 3,910	*959963	FAS16150-120S	828	4,940 : 4,780	*960083	FAS16150-120P	900	4,740 : 4,590	*960203	FAS16150-120SP	901	5,650 : 5,500
*959844	FAS16200-120	890	4,350 : 4,200	*959964	FAS16200-120S	896	6,450 : 6,250	*960084	FAS16200-120P	964	5,050 : 4,890	*960204	FAS16200-120SP	970	7,100 : 6,900
*959845	FAS20085-120	833	4,060 : 3,920	*959965	FAS20085-120S	837	5,350 : 5,200	*960085	FAS20085-120P	906	4,750 : 4,610	*960205	FAS20085-120SP	910	6,000 : 5,850
*959846	FAS20100-120	865	4,180 : 4,070	*959966	FAS20100-120S	873	5,550 : 5,400	*960086	FAS20100-120P	938	4,890 : 4,750	*960206	FAS20100-120SP	947	6,250 : 6,100
*959847	FAS20125-120	916	4,340 : 4,190	*959967	FAS20125-120S	925	5,750 : 5,600	*960087	FAS20125-120P	989	5,050 : 4,870	*960207	FAS20125-120SP	998	6,450 : 6,250
*959848	FAS20150-120	970	4,390 : 4,280	*959968	FAS20150-120S	975	5,900 : 5,750	*960088	FAS20150-120P	1044	5,100 : 4,940	*960208	FAS20150-120SP	1048	6,600 : 6,450
*959849	FAS20200-120	1067	4,920 : 4,760	*959969	FAS20200-120S	1076	7,350 : 7,100	*960089	FAS20200-120P	1140	5,650 : 5,500	*960209	FAS20200-120SP	1150	8,050 : 7,850