-ティングピン ROHS対応 S No.E-1323

LOCATING PINS







材質 SCM420 表面処理 黒染め

熱処理 焼入 HRC60

●ワークの位置決めに使用します。

$\nabla \nabla (\nabla \nabla \nabla)$





■什様·価格表

オーダーNo.	No.	ネジ径	A ^{h6}	B ^{m6}	С	D	E	F	G	Н	質量g	価格
* 125170	11306-13004	M8	4	15	25	22	22	10.5	4	M8	25	6,650
* 125171	11306-13005	M8	5	15	25	22	22	10.5	4	M8	26	6,650
* 125172	11306-13006	M8	6	15	25	22	22	10.5	4	M8	27	6,000
* 125173	11306-13008	M8	8	15	25	22	22	10.5	4	M8	28	6,000
* 125174	11306-13009	M8	9	15	25	22	22	10.5	4	M8	29	6,650
* 125175	11306-13010	M8	10	15	25	22	22	10.5	4	M8	30	6,000
* 125176	11306-13012	M8	12	15	25	22	22	10.5	4	M8	32	6,000
* 125177	11306-13014	M8	14	15	25	22	22	10.5	4	M8	35	6,650

* 在庫限りで廃番




材質 SCM420


熱処理 焼入 HRC60

表面処理 黒染め

●ワークの位置決めに使用します。

$\nabla \nabla (\nabla \nabla \nabla)$





■ 仕様・価格表 * 在庫限りで廃番												
オーダーNo.	No.	ネジ径	Α	B ^{h6}	C _{m6}	D	E	F	G	Н	質量g	価格
* 125178	11306-13015	M 8	25	15	15	22	22	10.5	4	M 8	36	5,250
* 125179	11306-13016	M 8	25	16	15	22	22	10.5	4	M 8	38	4,750
* 125180	11306-13018	M 8	25	18	15	22	22	10.5	4	M 8	40	5,250
* 125181	11306-13020	M 8	33	20	15	25	30	10.5	4	M 8	62	4,750
* 125182	11306-13022	M 8	33	22	15	25	30	10.5	4	M 8	68	5,250
* 125183	11306-13024	M 8	33	24	15	25	30	10.5	4	M 8	72	5,250
* 125184	11306-13025	M 8	33	25	15	25	30	10.5	4	M 8	75	4,750
* 125185	11306-13026	M 8	33	26	15	25	30	10.5	4	M 8	80	5,250
* 125186	11306-13028	M 8	33	28	15	25	30	10.5	4	M 8	85	5,250
* 125187	11306-23020	M12	33	20	26	25	30	10.5	4	M12	68	5,300
* 125188	11306-23022	M12	33	22	26	25	30	10.5	4	M12	75	5,900
* 125189	11306-23024	M12	33	24	26	25	30	10.5	4	M12	78	5,900
* 125190	11306-23025	M12	33	25	26	25	30	10.5	4	M12	83	5,300
* 125191	11306-23026	M12	33	26	26	25	30	10.5	4	M12	85	5,900
* 125192	11306-23028	M12	33	28	26	25	30	10.5	4	M12	90	5,900