RoHS対応 No.E-1220 SEPERATED V-BLOCKS









材質 SCM420

- 熱処理 焼入 HRC60
- 表面処理 黒染め
- ●丸物の位置決め用
- ●L·Rタイプ ペアでご使用ください。

## ▽ (▽▽ . ♥♥)





## ■仕様·価格表

*	在庫限り	で廃番
---	------	-----

オーダーNo.	No.	А	В	С	D	E	F	G	H±0.01	I
* 124910	EN412-1990L	118	56	70	26	30	28	30°	80	19
* 124911	EN412-1990R	118	56	70	26	30	28	30°	80	19
* 124912	EN516-1990L	148	70	80	26	35	33	30°	100	24
* 124913	EN516-1990R	148	70	80	26	35	33	30°	100	24

No.	J	K	L	Μ	Ν	0	PH6	Q	R	質量kg	価格
EN412-1990L	38	59	13	88	20	M12	12.01	φ14	100~340	2.4	28,500
EN412-1990R	38	59	13	88	20	M12	12.01	φ14	100~340	2.4	28,500
EN516-1990L	48	74	16	111	25	M16	16.01	φ18	120~400	3.9	33,800
EN516-1990R	48	74	16	111	25	M16	16.01	φ18	120~400	3.9	33,800

## ■使用例

